Plant Cell, Tissue and Organ Culture **26**: 217–218, 1991

CONTENTS Volume 26 1991

Volume 26 No. 1

Williams R.R. & Taji A.M.: Effect of temperature, gel concentration and cytokinins on vitrification of *Olearia microdisca* (J.M. Black) in vitro shoot cultures 1
Katoh N. & Iwai S.: In vitro induction of stigma-like and style-like structures from receptacle tissue in *Nicotiana tabacum* L. 7
Sarma K.S., Sharada K., Maesato K., Hara T. & Sonoda Y.: Chemical and sensory analysis of saffron produced through tissue cultures of *Crocus sativus* 11
Kumar P.B.A. & Shivanna K.R.: In vitro multiplication of a sterile interspecific hybrid, *Brassica fruticulosa* × B. campestris 17
Drew R.A.: In vitro culture of adult and juvenile bud explants of *Passiflora* species 23
Drew R.A., Simpson B.W. & Osborne W.J.: Degradation of exogenous indole-3-butyric acid and riboflavin and their influence on rooting response of papaya in vitro 29

Conifer Biotechnology Working Group – selected papers
Baxter R.: Introduction 35
Becwar M.R., Blush T.D., Brown D.W. & Chesick E.E.: Multiple paternal genotypes in embryogenic tissue derived from individual immature loblolly pine seeds 37
Bonga J.M. & Pond S.E.: Adventitious shoot formation in cultures of 30-year-old *Larix decidua, L. leptolepis, L. eurolepis,* and *L. laricina* trees 45
Teasdale R.D. & Richards D.K.: Study of a factor produced by suspension-cultured *Pinus radiata* cells which enhances cell growth at low inoculum densities. Low inoculum growth factor from Pinus radiata 53

Classification of abstracts / List of journals searched 61
Abstracts section A21-A42

Volume 26 No. 2

Steinitz B., Cohen A., Goldberg Z., & Kochba M.: Precocious gladiolus corm formation in liquid shake cultures 63
Sen J. & Sharma A.K.: Micropropagation of *Withania somnifera* from germinating seeds and shoot tips 71
Böhm H., Böhm L. & Rink E.: Establishment and characterization of a betaxanthin-producing cell culture from *Portulaca grandiflora* 75
Vazquez-Duhalt R., Alcaraz-Meléndez L. & Greppin H.: Variation in polar-group content in lipids of cowpea (*Vigna unguiculata*) cell cultures as a mechanism of haloadaptation 83
Louis I. & Torrey J.G.: In vitro clonal multiplication of the actinorhizal plant *Comptonia peregrina* 89
Mukherjee A., Unnikrishnan M. & Nair N.G.: Growth and morphogenesis of immature embryos of sweet potato (*Ipomoea batatas* L.) in vitro 97
Beck M.J. & Camper N.D.: Shoot regeneration from petunia leaf discs as a function of explant size, configuration and benzyladenine exposure 101
Chesick, E.E., Mohn C.A. & Hackett W.P.: Plantlet multiplication from white pine (*Pinus strobus* L.) embryos in vitro: bud induction and rooting 107
Irvine J.E., Benda G.T.A., Legendre B.L. & Machado G.R., Jr.: The frequency of marker changes in sugarcane plants regenerated from callus culture. II. Evidence for vegetative and genetic transmission, epigenetic effects and chimeral disruption 115
Owens L.D. & Wozniak C.A.: Measurement and effects of gel matric potential and expressibility on production of morphogenic callus by cultured sugarbeet leaf discs 127
Deng, S.Y., Heap I.M. & Klein T.A.: In vitro vegetative propagation of Chinese cabbage 135

Volume 26 No. 3

Masrizal, Simonson R.L. & Baenziger P.S.: Response of different wheat tissues to increasing doses of ethyl methanesulfonate 141
Jean M. & Cappadocia M.: In vitro tuberization in *Dioscorea alata* L. 'Brazo fuerte' and 'Florido' and *D. abyssinica* Hoch 147
Mezzetti B., Conte L.S. & Rosati P.: *Actinidia deliciosa* in vitro II. Growth and exogenous carbohydrates utilization by explants 153
Lin Y., Wagner M.R. & Heidmann L.J.: In vitro formation of axillary buds by immature shoots of Ponderosa pine 161
Meyer H.J. & Van Staden J.: Rapid in vitro propagation of *Aloe barbadensis* Mill 167
Scholten H.J., Schans M.J. & Somhorst I.P.M.: Factors affecting the glucosylation capacity of cell cultures of *Datura innoxia* and *Scopolia carniolica* for monophenolic compounds 173
Chen F. & Hayes P.: Effect of exogenous plant growth regulators on in vitro seed growth, embryo development, and haploid production in a cross between *H. vulgare* (L.) and *H. bulbosum* (L.) 179
Mohmand A.S. & Nabors M.W.: Comparison of two methods for callus culture and plant regeneration in wheat (*Triticum aestivum*) 185
Yao K., Chen Ch.H. & McMullen Ch.R.: Regeneration of albino shoots in cultured anthers of intermediate wheatgrass (*Agropyron intermedium* (Host) Beauv.) 189
Brandt K.: A method for estimating oxygen availability of stationary plant cell cultures in liquid media 195
Fabijanski S.F., Altosaar I. & Arnison P.G.: Heat shock response during anther culture of broccoli (*Brassica oleracea* var *italica*) 203

Author index Volume 26 1991

Alcaraz-Meléndez L., 83
Altosaar I., 203
Arnison P.G., 203

Baenziger P.S., 141
Baxter R., 35
Beck M.J., 101
Becwar M.R., 37
Benda G.T.A., 115
Blush T.D., 37
Böhm H., 75
Böhm L., 75
Bonga J.M., 45
Brandt K., 195
Brown D.W., 37

Camper N.D., 101
Cappadocia M., 147
Chen Ch.H., 189
Chen F., 179
Chesick, E.E., 37, 107
Cohen A., 63
Conte L.S., 153

Deng, S.Y., 135
Drew R.A., 23, 29

Fabijanski S.F., 203

Goldberg Z., 63
Greppin H., 83

Hackett W.P., 107
Hara T., 11
Hayes P., 179
Heap I.M., 135
Heidmann L.J., 161

Irvine J.E., 115
Iwai S., 7

Jean M., 147

Katoh N., 7
Klein T.A., 135
Kochba M., 63
Kumar P.B.A., 17

Legendre B.L., 115
Lin Y., 161
Louis I., 89

Machado G.R., Jr., 115
Maesato K., 11
Masrizal, 141
McMullen Ch.R., 189
Meyer H.J., 167
Mezzetti B., 153
Mohmand A.S., 185
Mohn C.A., 107
Mukherjee A., 97

Nabors M.W., 185
Nair N.G., 97

Osborne W.J., 29
Owens L.D., 127

Pond S.E., 45

Richards D.K., 53
Rink E., 75
Rosati P., 153

Sarma K.S., 11
Schans M.J., 173
Scholten H.J., 173
Sen J., 71
Sharada K., 11
Sharma A.K., 71
Shivanna K.R., 17
Simonson R.L., 141
Simpson B.W., 29
Somhorst I.P.M., 173
Sonoda Y., 11
Steinitz B., 63

Taji A.M., 1
Teasdale R.D., 53
Torrey J.G., 89

Unnikrishnan M., 97

Van Staden J., 167
Vazquez-Duhalt R., 83

Wagner M.R., 161
Williams R.R., 1
Wozniak C.A., 127

Yao K., 189